

# EXCLUSIVE PCCA BASES BOOKLET

For studies on these bases, visit [pccarx.com/science](http://pccarx.com/science).

PCCA EXCLUSIVE BASE	IDEAL IN FORMULATIONS FOR	COMMON APIS	FORMULAPLUS™ FORMULAS?	VETERINARY-USE FORMULAS?
<b>TRANSDERMAL</b>				
<p><b>**NEW**</b>  <b>PermE8™ Anhydrous Gel</b>                      PCCA #30-5038                      Transdermal Gel</p>	<ul style="list-style-type: none"> <li>Acute or chronic pain (including neuropathy)</li> <li>Nausea/vomiting</li> <li>Veterinary medicine</li> <li>APIs that are unstable in water</li> </ul>	<ul style="list-style-type: none"> <li>Lidocaine</li> <li>Benzocaine</li> <li>Tetracaine</li> <li>Ketoprofen</li> <li>Gabapentin</li> <li>Amitriptyline</li> <li>Ondansetron</li> </ul>		
<p><b>Lipoderm®</b>                      PCCA #30-3338                      Transdermal Cream</p>	<ul style="list-style-type: none"> <li>Acute or chronic pain (including neuropathy)</li> <li>Nausea/vomiting</li> <li>Veterinary medicine</li> </ul>	<ul style="list-style-type: none"> <li>Benzocaine</li> <li>Lidocaine</li> <li>Tetracaine</li> <li>Ketamine</li> <li>Gabapentin</li> <li>Clonidine</li> <li>Baclofen</li> </ul>	✓	✓
<p><b>Lipoderm ActiveMax®</b>                      PCCA #30-4482                      Transdermal Cream</p>	<ul style="list-style-type: none"> <li>Acute or chronic pain (including neuropathy)</li> <li>Nausea/vomiting</li> <li>Veterinary medicine</li> <li><b>APIs in salt form at high concentrations</b></li> </ul>	<ul style="list-style-type: none"> <li>Verapamil</li> <li>Diclofenac</li> <li>Ketamine</li> </ul>	✓	✓
<p><b>Anhydrous Lipoderm</b>                      PCCA #30-4283                      Transdermal Cream</p>	<ul style="list-style-type: none"> <li>Acute or chronic pain (including neuropathy)</li> <li>Nausea/vomiting</li> <li>Veterinary medicine</li> <li>APIs that are unstable in water</li> </ul>	<ul style="list-style-type: none"> <li>Glutathione</li> <li>Benzocaine</li> <li>Lidocaine</li> <li>Tetracaine</li> </ul>		
<p><b>Lipoderm HMW™</b>                      PCCA #30-4612                      Transdermal Cream</p>	<ul style="list-style-type: none"> <li>Acute or chronic pain (including neuropathy)</li> <li>Nausea/vomiting</li> <li>Veterinary medicine</li> <li><b>APIs with a high molecular weight</b></li> </ul>	HCG		

See PCCA Document #99234 for a chart of our most popular bases that you can hang up and use for reference in your pharmacy.

For the complete list of FormulaPlus formulas, see PCCA Document #98004 on the Members-Only Website.

PCCA EXCLUSIVE BASE	IDEAL IN FORMULATIONS FOR	COMMON APIS	FORMULAPLUS™ FORMULAS?	VETERINARY-USE FORMULAS?
<b>TOPICAL</b>				
<b>**NEW**</b> <b>W06™ Anhydrous Topical Gel</b> PCCA #30-5039 Topical Gel	<ul style="list-style-type: none"> <li>• Dermatology</li> <li>• Cosmeceuticals</li> <li>• APIs that are unstable in water</li> </ul>	<ul style="list-style-type: none"> <li>• Hydroquinone</li> <li>• Ascorbic acid</li> <li>• Clobetasol propionate</li> <li>• Tretinoin</li> <li>• Clindamycin</li> </ul>		
<b>Atrevis Hydrogel®</b> PCCA #30-4986 Topical Gel	Testosterone replacement for men	Testosterone	✓	
<b>VersaBase® Cream</b> PCCA #30-3641 Topical/Vaginal Cream	<ul style="list-style-type: none"> <li>• HRT</li> <li>• Dermatology</li> </ul>	<ul style="list-style-type: none"> <li>• Estriol</li> <li>• Estradiol</li> <li>• Progesterone</li> <li>• Testosterone</li> <li>• DHEA</li> <li>• Naltrexone</li> </ul>	✓	
<b>VersaBase® Gel</b> PCCA #30-3656 Topical/Vaginal Gel	<ul style="list-style-type: none"> <li>• HRT</li> <li>• Dermatology</li> </ul>	<ul style="list-style-type: none"> <li>• Estriol</li> <li>• Testosterone</li> <li>• Hydroquinone</li> </ul>	✓	
<b>VersaBase® Lotion</b> PCCA #30-3653 Topical Lotion	<ul style="list-style-type: none"> <li>• HRT</li> <li>• Dermatology</li> </ul>	<ul style="list-style-type: none"> <li>• Sulfacetamide sodium</li> <li>• Sulfur</li> </ul>		✓
<b>VersaBase® Shampoo</b> PCCA #30-4195 Topical Shampoo	<ul style="list-style-type: none"> <li>• Dermatology</li> <li>• Cosmeceuticals</li> <li>• Veterinary medicine</li> </ul>	<ul style="list-style-type: none"> <li>• Ketoconazole</li> <li>• Ciclopirox</li> <li>• Clobetasol propionate</li> <li>• Minoxidil</li> <li>• Chlorhexidine gluconate</li> </ul>		✓
<b>VersaBase® Foam</b> PCCA #30-3654 Topical Foam/Cleanser	<ul style="list-style-type: none"> <li>• Dermatology</li> <li>• Cosmeceuticals</li> </ul>	<ul style="list-style-type: none"> <li>• Minoxidil</li> <li>• Clobetasol propionate</li> <li>• Azelaic acid</li> <li>• Betamethasone valerate</li> </ul>		

See PCCA Document #99234 for a chart of our most popular bases that you can hang up and use for reference in your pharmacy.

For the complete list of FormulaPlus formulas, see PCCA Document #98004 on the Members-Only Website.

PCCA EXCLUSIVE BASE	IDEAL IN FORMULATIONS FOR	COMMON APIS	FORMULAPLUS™ FORMULAS?	VETERINARY-USE FORMULAS?
<b>TOPICAL</b> <i>(continued)</i>				
<b>PracaSil®-Plus</b> PCCA #30-4655 Topical Gel	<ul style="list-style-type: none"> <li>All scars</li> <li>Stretchmarks</li> </ul>	<ul style="list-style-type: none"> <li>Fluocinolone acetonide</li> <li>Tretinoin</li> <li>Tamoxifen citrate</li> <li>Betamethasone valerate</li> </ul>	✓	✓
<b>Clarifying™</b> PCCA #30-4845 Topical Cream	<ul style="list-style-type: none"> <li>Dermatology</li> <li>Acne/problem skin</li> <li>Rosacea</li> </ul>	<ul style="list-style-type: none"> <li>Clindamycin</li> <li>Tretinoin</li> <li>Benzoyl peroxide</li> <li>Niacinamide</li> <li>Metronidazole</li> </ul>		
<b>XemaTop™</b> PCCA #30-4891 Topical Cream	<ul style="list-style-type: none"> <li>Dermatology</li> <li>Eczema</li> <li>Psoriasis</li> <li>Xerosis (dry skin)</li> </ul>	<ul style="list-style-type: none"> <li>Naltrexone</li> <li>Zinc pyrithione</li> <li>Clobetasol propionate</li> <li>Ketotifen</li> <li>Cyanocobalamin</li> </ul>	✓	
<b>SpiraWash®</b> PCCA #30-4678 Topical Gel	Wound care	<ul style="list-style-type: none"> <li>Lidocaine</li> <li>Mupirocin</li> <li>Phenytoin</li> <li>Misoprostol</li> </ul>		
<b>NataCream™</b> PCCA #30-4397 Topical Cream	<ul style="list-style-type: none"> <li>Dermatology</li> <li>Cosmeceuticals</li> </ul>	<ul style="list-style-type: none"> <li>Hydroquinone</li> <li>Tretinoin</li> <li>Lidocaine</li> </ul>		
<b>SUBLINGUAL</b>				
<b>**NEW**</b> <b>NataTroche™</b> PCCA #30-5027 Sublingual Troche Base	<ul style="list-style-type: none"> <li>HRT</li> <li>Men's health</li> <li>Pediatrics</li> <li>Dental/ENT (thrush/mucositis)</li> </ul>	<ul style="list-style-type: none"> <li>Progesterone</li> <li>Testosterone</li> <li>Ketamine</li> <li>Tadalafil</li> </ul>		
<b>RDT-Plus™</b> PCCA #30-4960 Sublingual/Oral Rapid Dissolve Tablet Base	<ul style="list-style-type: none"> <li>HRT</li> <li>Men's health</li> </ul>	<ul style="list-style-type: none"> <li>Progesterone</li> <li>Arginine</li> <li>Hydrocortisone</li> </ul>		

See PCCA Document #99234 for a chart of our most popular bases that you can hang up and use for reference in your pharmacy.

For the complete list of FormulaPlus formulas, see PCCA Document #98004 on the Members-Only Website.

PCCA EXCLUSIVE BASE	IDEAL IN FORMULATIONS FOR	COMMON APIS	FORMULAPLUS™ FORMULAS?	VETERINARY-USE FORMULAS?
<b>ORAL</b>				
<b>SuspendIt®</b> PCCA #30-4825 Oral Suspension	Pediatrics	<ul style="list-style-type: none"> <li>Lansoprazole;</li> <li>Omeprazole</li> <li>Metronidazole benzoate</li> <li>Baclofen</li> </ul>	✓	✓ (limited use in cats)
<b>Fixed Oil Suspension Vehicle</b> PCCA #30-4316 Oral Suspension	<ul style="list-style-type: none"> <li>Veterinary medicine</li> <li>APIs that are unstable in water</li> </ul>	<ul style="list-style-type: none"> <li>Gabapentin</li> <li>Doxycycline</li> <li>Metronidazole benzoate</li> <li>Tramadol</li> </ul>	✓	✓
<b>LoxOral®</b> PCCA #30-4774 Oral Capsule Filler	All oral-capsule formulations	<ul style="list-style-type: none"> <li>Progesterone</li> <li>Naltrexone</li> <li>Ketotifen</li> <li>T3 dilution</li> <li>T4 dilution</li> </ul>		✓
<b>ORAL/TOPICAL</b>				
<b>MucoLox™</b> PCCA #30-4782 Oral Gel/Mouthwash/Spray Vaginal Gel Esophageal Suspension Nasal spray	<ul style="list-style-type: none"> <li>Dental (mucosistis)</li> <li>ENT</li> <li>Vaginal issues</li> <li>Rectal issues</li> </ul>	<ul style="list-style-type: none"> <li>Lidocaine</li> <li>Budesonide</li> <li>Estriol</li> <li>Nystatin</li> <li>Dexamethasone</li> <li>Oxytocin</li> </ul>	✓	
<b>NASAL NEBULIZATION &amp; IRRIGATION</b>				
<b>LoxaSperse®</b> PCCA #30-4701 Nasal Nebulization/Irrigation Base	<ul style="list-style-type: none"> <li>ENT (sinusitis)</li> <li>Wound care</li> </ul>	<ul style="list-style-type: none"> <li>Budesonide</li> <li>Tobramycin</li> <li>Gentamicin</li> </ul>		
<b>XyliFos®</b> PCCA #30-4894 Nasal Nebulization/Irrigation Component	Used along with LoxaSperse	<ul style="list-style-type: none"> <li>Budesonide</li> <li>Tobramycin</li> <li>Gentamicin</li> </ul>		
<b>VETERINARY</b>				
<b>ZoSil®</b> PCCA #30-4963 Veterinary Topical Base	<ul style="list-style-type: none"> <li>Atopic dermatitis</li> <li>General veterinary topicals</li> </ul>	<ul style="list-style-type: none"> <li>Diphenhydramine</li> <li>Itraconazole</li> <li>Ciprofloxacin</li> <li>Hydrocortisone</li> <li>Ivermectin</li> </ul>	✓	✓

See PCCA Document #99234 for a chart of our most popular bases that you can hang up and use for reference in your pharmacy.

For the complete list of FormulaPlus formulas, see PCCA Document #98004 on the Members-Only Website.